



Technical dossier

## COMPLIANCE DATA SHEET

DoC valid until

2028-08-05

Issued 2026-08-05

Product group  
Sushi cont/plate PSHS code  
3924100090Origin  
CN

## 01 PRODUCT SPECIFICATIONS

Product group - Sushi cont/plate PS

| <br>Image coming soon | Base Information |                                                                                  | Pallet Information |                 |
|--------------------------------------------------------------------------------------------------------|------------------|----------------------------------------------------------------------------------|--------------------|-----------------|
|                                                                                                        | Article No       | 3689060-515                                                                      | Qty Cartons        | Ht incl. pallet |
|                                                                                                        | Description      | Sushi cont 600ml Set 240x150x40 (100/400) PS/OPS black Unipack CH4 combi 6/12/24 | 6 ctn / Layer      | —               |
|                                                                                                        |                  |                                                                                  | 12 ctn / low pall  | 1.14 m          |
|                                                                                                        | GSM              | —                                                                                | 24 ctn / full pall | 2.13 m          |

## Packaging Information

| Pcs     |     | Inner pack mm |   | Carton mm |        | Weight kg |       | Codes         |    |
|---------|-----|---------------|---|-----------|--------|-----------|-------|---------------|----|
| Pcs/pac | 100 | L             | — | L         | 460    | Net/ctn   | 11.00 | Barcode ctn   | 0  |
| Pcs/ctn | 400 | W             | — | W         | 310    | Ctn wt    | 0.5   | Barcode inner | 24 |
|         |     | H             | — | H         | 495    | Gross/ctn | 11.50 |               |    |
|         |     |               |   | cbm/ctn   | 0.0706 | Pack wt   | 2.75  |               |    |

## 02 REGULATION COMPLIANCE

Applicable regulations &amp; certificates

| Regulation           | Official title                                                                                                                               | Application date |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| EC 1935/2004         | Regulation (EC) No 1935/2004 of the European Parliament and of the Council on materials and articles intended to come into contact with food | 2004-12-03       |
| EC 2023/2006         | Commission Regulation (EC) No 2023/2006 on good manufacturing practice for materials and articles intended to come into contact with food    | 2008-08-01       |
| EU 10/2011           | Commission Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food                              | 2011-05-01       |
| EC 1907/2006 (REACH) | Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)                     | 2007-06-01       |
| EU 2025/40 (PPWR)    | Regulation (EU) 2025/40 of the European Parliament and of the Council on packaging and packaging waste                                       | 2026-08-12       |

## 03 MATERIAL COMPOSITION

2 component(s)

| # | Category | Material                      | Fraction       | % w/w | Food contact |
|---|----------|-------------------------------|----------------|-------|--------------|
| 1 | Plastic  | Plastic PS - Polystyrene pure | Rigid Plastics | 50%   | Yes          |
| 2 | Plastic  | Plastic PS - Polystyrene pure | Rigid Plastics | 50%   | Yes          |

## 04 FOOD CONTACT MATERIALS (FCM)

Scope

• EU 10/2011 · EC 1935/2004 · BfR XXXVI — field scope only  
• Values = supplier-entered data; not a legal declaration

## Intended use — test conditions (food simulant / temperature / duration / overall migration category)

| # | Food simulant (EU 10/2011) | Temp (°C) | Duration | Overall migration (OM) test condition |
|---|----------------------------|-----------|----------|---------------------------------------|
| 1 | B · 3% acetic acid         | 100       | 1h       | OM4 · 1 h at 100 °C                   |

| # | Food simulant (EU 10/2011) | Temp (°C) | Duration | Overall migration (OM) test condition |
|---|----------------------------|-----------|----------|---------------------------------------|
| 2 | A · 10% ethanol            | 100       | 1h       | OM4 · 1 h at 100 °C                   |

| Thermal range · appliance safety · simulants (migration) |        |           |      |         |                                       |
|----------------------------------------------------------|--------|-----------|------|---------|---------------------------------------|
| Min °C                                                   | Max °C | Microwave | Oven | Freezer | Simulants used                        |
| 100                                                      | 100    | —         | —    | —       | B · 3% acetic acid<br>A · 10% ethanol |

| Plastic FCM — migration & sensory declarations (EU 10/2011 · LFGB · BfR) |        |
|--------------------------------------------------------------------------|--------|
| Requirement                                                              | Result |
| Sensory (Odour & Taste)                                                  | PASS   |
| Overall Migration (EU 10/2011)                                           | PASS   |
| Specific Migration — Heavy Metals                                        | PASS   |
| Specific Migration — Primary Aromatic Amines                             | PASS   |

Bureau Veritas report(s): (8525)023-0075, 2025-03-10. Structured conditions record simulants A/B. The reports also used 95% ethanol (60 °C, 3 h) and iso-octane (60 °C, 1 h) as fatty-food substitutes. Sensory passed; volatile organic matter 6.37 mg/dm² (limit 15), peroxide test passed.

| Substance declarations |
|------------------------|
| REACH SVHC < 0.1%      |
| YES                    |

| Overall migration (OML) — EU 10/2011 |       |        |               |                      |                                                                            |
|--------------------------------------|-------|--------|---------------|----------------------|----------------------------------------------------------------------------|
| Measured                             | Limit | Unit   | Declared pass | Measured / limit (%) | Remark                                                                     |
| 7.75                                 | 10    | mg/dm² | YES           | 78%                  | Worst reported result 7.75 mg/dm² (iso-octane); other simulants <5 mg/dm². |

| Specific migration limits (SML) |                          |                     |       |      |
|---------------------------------|--------------------------|---------------------|-------|------|
| Substance                       | Measured                 | Limit               | Unit  | Pass |
| EU 10/2011 metals panel         | Within applicable limits | EU 10/2011 Annex II | mg/kg | PASS |
| Primary aromatic amines panel   | Below reporting limits   | EU 10/2011 Annex II | mg/kg | PASS |

05

PACKAGING & PACKAGING WASTE (PPWR)

EU Regulation 2025/40

| Covered by group-level PPWR deliverables |                                              |
|------------------------------------------|----------------------------------------------|
| Packaging type                           | PG-250                                       |
| EU DoC (Annex VIII)                      | Not yet issued for this product group        |
| Technical documentation (Annex VII)      | Annex VII technical file · Product group 250 |

| Recyclability — PPWR Art. 6(1) / EN 13430                                       |                     |        |
|---------------------------------------------------------------------------------|---------------------|--------|
| Requirement                                                                     | Assessment standard | Result |
| Art. 6(1) — packaging shall be recyclable (from 12 Aug 2026; transitional path) | EN 13430:2004       | PASS   |

PPWR Art. 6(1) (applicable from 12 Aug 2026): packaging shall be recyclable. Until design-for-recycling criteria under Art. 6(2)(a) / delegated acts apply, recyclability is demonstrated against EN 13430:2004 (packaging recoverable by material recycling). Category-specific A/B/C performance grades apply from 2030.

| Performance grade foresight (A/B/C — mandatory from 2030) |               |
|-----------------------------------------------------------|---------------|
| Grade                                                     | Mono-material |
| Not Recyclable                                            | YES           |

| Substance restrictions                    |             |           |               |        |                                                   |
|-------------------------------------------|-------------|-----------|---------------|--------|---------------------------------------------------|
| Parameter                                 | Detected    | Limit     | Method        | Result | Remark                                            |
| Heavy metals sum (Pb+Cd+Hg+Cr VI)         | LT 20 mg/kg | 100 mg/kg | —             | PASS   | PPWR Art. 5(4)                                    |
| Total fluorine (all PFAS incl. polymeric) | LT 20 mg/kg | 50 mg/kg  | EN 14582:2016 | PASS   | Bureau Veritas report (8526)150-0057, 2026-06-26. |

| Upcoming requirements — phased application under PPWR (EU) 2025/40 |              |
|--------------------------------------------------------------------|--------------|
| Requirement                                                        | Applies from |
| Empty Space Ratio (%)                                              | 2030-01      |
| Compostability (Art. 9)                                            | 2028-02      |
| Labeling & Marking (Art. 12)                                       | 2028-08      |
| Recycled Content (Art. 7)                                          | 2030-01      |

These obligations are not yet applicable at the date of issue; documentation will be provided as they enter into application.

06


EPR PACKAGING HIERARCHY

—

| Packaging and intended use |
|----------------------------|
|----------------------------|

Food-contact single-use product; packed in LDPE inner bag with label, outer carton sealed with tape; palletised with stretch wrap for shipment.

| Packaging levels |
|------------------|
|------------------|



Schematic, not to scale and not a dimensioned manufacturing drawing; the product level is drawn as an exemplar. Bag counts, carton multiples and pallet loads shown are illustrative only and do not represent actual SKU quantities — for reference to understand the packaging system.

| Type      | Units   | Sorting   | Material                                | Weight (kg) | Colour                | Recyclability  |
|-----------|---------|-----------|-----------------------------------------|-------------|-----------------------|----------------|
| Product   | 1 pcs   | Recycling | Plastic PS - Polystyrene pure           | 0.0138      | —                     | Not Recyclable |
| Product   | 1 pcs   | Recycling | Plastic PS - Polystyrene pure           | 0.0138      | —                     | Not Recyclable |
| Primary   | 100 bag | Recycling | Plastic LDPE - Low Density Polyethylene | 0.0200      | Natural / translucent | A              |
| Primary   | 1 label | Recycling | Paper / PP label                        | —           | Multicolour print     | Not assessed   |
| Secondary | 400 crt | Recycling | Cardboard                               | 0.7060      | Brown (kraft)         | A              |
| Secondary | 400 crt | Recycling | Tape — BOPP · Acrylic PSA (1:1)         | 0.0078      | Transparent           | Not recyclable |
| Tertiary  | 9600 pl | Recycling | Wood                                    | 15.0000     | Natural wood          | Reusable       |

| Type     | Units   | Sorting   | Material                                        | Weight (kg) | Colour      | Recyclability |
|----------|---------|-----------|-------------------------------------------------|-------------|-------------|---------------|
| Tertiary | 9600 p1 | Recycling | Plastic LLDPE - Linear Low Density Polyethylene | 0.1193      | Transparent | A             |

Issuing organisation

**ZIP Trading Overseas AB**

Killinggränd 13, SE-175 45 Järfälla,  
www.ziptrading.biz

Authorised signature



Supplier Auditor

Article: 3689060-515

Product group: #250 Sushi cont/plate PS

Issued: 2026-08-05